Bellows suction cups (round)

FSGA 33 HT1-60 G1/4-IG

Part no..:10.01.06.00957

https://www.schmalz.com/10.01.06.00957

Home > Bellows Suction Cups FSGA (1.5 Folds) > FSGA 33 HT1-60 G1/4-IG


Bellows suction cup (round) with optimal adaptation to uneven surfaces



Size: 33
Suction cup material: High temperature material HT1
Material hardness [Shore A]: 60 Shore A
Nipple material: Aluminum
Connection: G1/4"-F
Number of folds: 1.5

Vacuum connection: G1/4"-F

Design Data



Attribute	Value
d2	17 mm
Dmax(S)	38 mm
dn	4.40 mm
Ds	30 mm
G1	G1/4"-F
Н	42 mm
LG1	12 mm
SW1	17 mm
Z (Stroke)	9 mm

Note: Acceptable dimensional tolerances for elastomer parts concerning to DIN ISO 3302-1 M3

Technical Data

Attribute	Value
Suction cup material	High temperature material HT1
Material hardness [Shore A]	60 Shore A
Size	33
Number of folds	1.50
Connection	G1/4-IG
Curve radius (min) (convex)	40 mm
Volume	4.75 cm ³
Suction force (-600mbar)	13.60 N

Bellows suction cups (round)

FSGA 33 HT1-60 G1/4-IG

Part no..:10.01.06.00957

https://www.schmalz.com/10.01.06.00957



Pull-off force	39.60 N
Hose diameter (rec.) d	6 mm
Weight	16 g
Product family	FSGA

Note: Suction force: The specified suction forces are theoretical values at a vacuum of -0.6 bar and with a dry, smooth and flat workpiece surface - they do not include a safety factor Pull-off force: The pull-off force of the versions made of natural rubber is reduced by about 40% Hose diameter: The recommended hose diameter refers to a hose length of approx. 2 m

Accessories



SPI 32 PEEK

Part no..:10.01.06.03287

Size: 32

Material: Polyetheretherketon

Spare parts



SA-NIP N018 G1/4-IG DN440

Part no..:10.01.06.01066

Nipple family: N 018

Thread G1: G1/4"-F

Length L1: 28.8 mm

Fitting length: 15 mm

Nominal diameter dn: 4.4 mm

Spanner size SW2: 5 mm

Material: Aluminum

Bellows suction cups (round)

FSGA 33 HT1-60 G1/4-IG

Part no..:10.01.06.00957

https://www.schmalz.com/10.01.06.00957





FGA 33 HT1-60 N018

Part no..:10.01.06.00873

Size: 33

Suction cup material: High temperature material HT1

Material hardness [Shore A]: 60 Shore A

Number of folds: 1.5