

Vacuum cup filter

VFT G3/4-IG 80

Part no.:10.07.01.00128

<https://www.schmalz.com/10.07.01.00128>

Home > Vacuum Technology for Automation > Vacuum Components > Filters and Connections > Vacuum Filters > Vacuum Cup Filters VFT > VFT G3/4-IG 80

Vacuum cup filter with transparent housing and replaceable filter



Connection: G3/4"-F


Shape: Long filter insert

Nominal flow rate: 600 l/min

Nominal flow rate: 36 m³/h

Filter pore size: 80 µm

Design Data



Attribute	Value
D	75 mm
G1	G3/4"-F
H	136.50 mm
H1	118 mm
L	90.50 mm

Technical Data

Attribute	Value
Connection	G3/4"-F
Nominal flow rate	600 l/min
Nominal flow rate	36 m ³ /h
Max. vacuum	-990 mbar
Overpressure (max) at 25°C	7 bar
Overpressure (max) at 50°C	5 bar
Filter pore size	80 µm
Weight	164 g

Contact Schmalz

Schmalz S.A.S | Le Prométhée, 65 Avenue Général de Gaulle, 77420 Champs sur Marne, France | +33 1 64 731 730 | schmalz@schmalz.fr

Vacuum cup filter

VFT G3/4-IG 80

Part no.:10.07.01.00128

<https://www.schmalz.com/10.07.01.00128>

Product family

VFT

Spare parts



FILT-EINS 80 39x89 PE VFT-3/4

Part no.:10.07.01.00145

Filter pore size: 80 µm

External diameter D: 39 mm

Length L: 89 mm

Filter material: Polyethylene

Construction use: Filters VFT

Size: 3/4



HTR-FIL 2S WI VFT3/4

Part no.:10.07.01.00229

Shape: angled



DR 57-51x3.2 NBR

Part no.:10.07.01.00155

External diameter D: 57 mm

Length L: 3.2 mm

Internal diameter d: 51 mm

Material: Nitrile rubber NBR

Contact Schmalz

Schmalz S.A.S | Le Prométhée, 65 Avenue Général de Gaulle, 77420 Champs sur Marne, France | +33 1 64 731 730 | schmalz@schmalz.fr



Vacuum cup filter

VFT G3/4-IG 80

Part no...:10.07.01.00128

<https://www.schmalz.com/10.07.01.00128>

Contact Schmalz

Schmalz S.A.S | Le Prométhée, 65 Avenue Général de Gaulle, 77420 Champs sur Marne, France | +33 1 64 731 730 | schmalz@schmalz.fr