Bellows suction cup (round)

FGA 25 NBR-55 N016

Part no..:10.01.06.00376

https://www.schmalz.com/10.01.06.00376

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Bellows Suction Cups (Round) > FGA 25 NBR-55 N016

Bellows suction cup (round) with optimal adaptation to uneven surfaces

- Size: 25
- Suction cup material: Nitrile rubber NBR
- Material hardness [Shore A]: 55 Shore A
- Number of folds: 1.5

Design Data



Attribute	Value
d	4.50 mm
d2	9.90 mm
D1	25 mm
Dk	10 mm
Dmax(S)	26.50 mm
Ds	22.50 mm
H	23 mm
H2	3.80 mm
H3	8.90 mm
Z (Stroke)	9 mm

Note: Acceptable dimensional tolerances for elastomer parts concerning to DIN ISO 3302-1 M3

Technical Data

Attribute	Value
Number of folds	1.50
Suction force (-600mbar)	5.30 N
Size	25
Suction cup material	Nitrile rubber NBR
Weight	2.70 g
Curve radius (min) (convex)	20 mm
Product family	FGA

Bellows suction cup (round)

FGA 25 NBR-55 N016

Part no..:10.01.06.00376

https://www.schmalz.com/10.01.06.00376

Accessories

SA-NIP N016 G1/8-AG DN350

Part no..:10.01.06.05735

Nipple family: N 016
Thread G1: G1/8"-M
Length L1: 20 mm
Fitting length: 6 mm
Nominal diameter dn: 3.5 mm
Material: Aluminum

SA-NIP N016 G1/8-IG DN350

Part no..:10.01.06.05731

Nipple family: N 016
Thread G1: G1/8"-F
Length L1: 18.5 mm
Fitting length: 12 mm
Nominal diameter dn: 3.5 mm
Material: Aluminum

SA-NIP N016 M5-AG DN250

Part no..:10.01.06.00123

Nipple family: N 016
Thread G1: M5-M
Length L1: 16 mm
Fitting length: 5 mm
Nominal diameter dn: 2.5 mm
Material: Aluminum

Bellows suction cup (round)

FGA 25 NBR-55 N016

Part no..:10.01.06.00376

https://www.schmalz.com/10.01.06.00376

SPI 25 PEEK

Part no..:10.01.06.03286

Size: 25

Material: Polyetheretherketon